



**2016 Regulations for:
Model Solar Boat**

Sections 1 to 10

The event will be held on the 16th of October, 2016 at the Scienceworks museum in Spotswood in Melbourne.

Additional information will be published on web site
www.modelsolaraustralia.org

MISSION STATEMENT

To promote, develop and encourage an interest in using solar and renewable energies in school aged students throughout the world and to give these students the opportunity to gain some experience and expertise in this by using active learning in addressing real life challenges. By doing this, it is hoped that the citizens, scientists and engineers of the future will be more likely to participate in developing a more environmentally-aware approach to the way energy is used, both by a more efficient use of old technologies and the appropriate introduction of renewable energies and technology.

THE COMMITTEE

The Organising Committee of the Australian - International Model Solar Challenge Event is a voluntary body consisting primarily of members of the Australian-International Model Solar Challenge and members from the local state associations and may include sponsors representatives, teachers, students and other invited interested persons, is hereafter referred to herein as the Organising Committee.

Table of Contents

- 1 INTRODUCTION 5
 - 1.1 Event Name 5
 - 1.2 Overview 5
 - 1.3 Spirit of Intent 5
 - 1.4 Competitors 5
 - 1.5 Eligibility and Divisions 6
 - 1.5.1 Junior Division 6
 - 1.5.2 Advanced Division 6
 - 1.6 Statement of Involvement 6
 - 1.7 Correspondence 6
- 2 INTERPRETATION OF THE REGULATIONS 7
 - 2.1 Students Must Do the Work 7
 - 2.2 Unfair Practices 7
 - 2.3 AIMSC Rulings 8
- 3 ENTRIES 9
 - 3.1 Number of Teams 9
 - 3.2 Statement of Work 9
 - 3.3 Posters 9
- 4 Registration 11
- 5 PRIZES 12
- 6 THE POOL 13
 - 6.1 Size and Shape 13
 - 6.2 Construction 13
 - 6.3 Starting Position 13
 - 6.4 Finish Position 13
- 7 SCRUTINEERING 14
 - 7.1 Individual Design 14
 - 7.2 Commercial Components 14
- 8 SERVICING 15
 - 8.1 Service Area 15
 - 8.2 Hazardous Substances 15
- 9 COMPETITION 16
 - 9.1 Structure of the Races 16
 - 9.2 Starting Procedure 16
 - 9.2.1 Starting Gate 16

9.2.2	Manual Release	16
9.3	Judging the Results	16
9.4	Mishaps	17
9.5	Practice and Testing	17
10	BOAT SPECIFICATIONS	18
10.1	Common Specifications.....	18
10.1.1	Maximum Length	18
10.1.2	Maximum Width	18
10.1.3	Maximum Guide Height	18
10.1.4	Solar Panels	18
10.1.5	Other Energy Sources.....	18
10.1.6	On/Off Switch.....	19
10.1.7	Propulsion	19
10.1.8	Identification	19
10.2	Junior Division	19
10.2.1	Motor	19
10.2.2	Hulls.....	19
10.2.3	Propulsion	19
10.2.4	Captain and Crew	19
10.2.5	Non Conformance	19
10.3	Advanced Division.....	20
10.3.1	Motor	20
10.3.2	Hulls.....	20
10.3.3	Propulsion	20
10.3.4	Electronics	20
10.3.5	Cargo	20
10.3.6	Non Conformance	20

1 INTRODUCTION

1.1 Event Name

The Event shall be known as the Australian - International Model Solar Challenge - Boats ("AIMSCB") and is run annually. This, along with other events for student designed cars, will form the Australian - International Model Solar Challenge ("AIMSC").

1.2 Overview

This is a race for model solar boat built by students studying at primary or secondary levels up to and including Year 12 or its equivalent. The Organising Committee of the event believe that the skills necessary to build a competitive junior boat are appropriate for younger students and give a learning experience which can lead on in later years to designing entries for the advanced division. A "round robin," in which boats race against other designated boats, will begin the competition. This round robin is conducted in a single pool between 2 (two) or 3 (three) competitors. The format of the racing is a first past the post style where the winner is the first boat to reach the finish line.

Based on the results of the "round robin", boats are allocated into groups which then compete in an elimination competition, the winners of each round continue to the next and the losers are eliminated. This process of elimination continues until a winner is decided by being the only undefeated boat.

1.3 Spirit of Intent

The objective of the Challenge is to develop a craft that will most effectively travel along a guide line suspended above the water's surface and race against other like crafts, travelling from one end to the other of a pool, approximately six (6) to ten (10) metres long, in the shortest possible time. Two (2) or three (3) boats will race each other in the pool at the same time to determine a winner.

The Challenge is designed to provide students currently studying up to and including Year 12 secondary level, with an opportunity to learn, so it is very important that the design and building of the boat be completely that of the students. The aim is to encourage exploration of solar energy through design and construction of working models powered by the sun shining on solar cells.

Teachers, mentors, parents and/or other adult advisors are encouraged to teach the students the correct scientific and technical principles; however they are not allowed to undertake any of the physical work on the boat themselves. In the past, there have been occasions where adults have done the work instead of the students, which can significantly advantage the team involved; this is inappropriate, unfair and is not allowed. As the main object of the experience is for the students to learn how to do it themselves, inappropriate adult help only interferes with this goal and the Organising Committee take this problem very seriously, see **§2.2**.

So that the competition remains financially accessible to as many organisations as possible the Organising Committee has framed these regulations to use low cost photovoltaic panels of limited size and limited power output.

1.4 Competitors

The competition is open to applicants from schools and other organizations in Australia and invited parties from overseas. Competitors must be students currently studying up to and including Year 12 secondary level, as approved and invited by the Organising Committee. All teams entering this event must comply with the regulations.

1.5 Eligibility and Divisions

The competition is run in two divisions.

1.5.1 Junior Division

Open only to primary schools or organisations with team members up to and including year 6 level.

1.5.2 Advanced Division

Open to primary or secondary students up to and including year 12 level.

1.6 Statement of Involvement

Boats entered in any given year must be the work of students in that year. Hulls will be photographed and marked at each year's event so that they cannot be re-entered in subsequent years.

1.7 Correspondence

Email: contact@modelsolar.org.au

Mail: The AIMSC Event Organiser
Australian - International Model Solar Challenge
PO Box 108
Darling 3145
Victoria
Australia

2 INTERPRETATION OF THE REGULATIONS

These regulations have been agreed to by the Organising Committee for the event. Selected members of the Organising Committee will form an Adjudication Sub-Committee and will make any required clarifications or decisions for any situation that arises that is not covered by these rules.

If, during the event or at scrutineering, AIMSCB officials discover that an entrant or member of a team has deliberately violated these regulations in order to gain an unfair advantage over other entries, or if the AIMSCB officials suspect that there has been a departure from the spirit of the Event, that team will not be eligible for any awards and will be unable to progress past the quarter finals. If the AIMSCB officials further believe a significant violation of these regulations or departure from the spirit of the event has occurred, that team will be disqualified from the competition.

2.1 Students Must Do the Work

To maximize the learning experience, students are to design and construct the boats themselves, adults should not undertake any physical work on the boat, though some adult help to improve their skills is acceptable.

High level technical work on junior division boats (routing, welding, moulding, spray painting, etc.) is discouraged, as students will not normally have access to these skills. It is recognised that some components will need to be either purchased or made using equipment unavailable to students, however those competing in the advanced division should be able to show some understanding of the processes which were or could have been used for making these components.

All students must understand the working of their boat and be able, without outside assistance, to operate and make all necessary adjustments or repairs over the duration of the event. Special circumstances should be reported to the Adjudication Sub-Committee who will consider the circumstances and may if deemed appropriate sanction or provide assistance.

2.2 Unfair Practices

In the past there have been instances of inappropriate adult input, which can significantly advantage the team involved. The Organising Committee views this problem very seriously. Any adults seen to be acting inappropriately will be given one warning before penalties will be applied to the team involved. Flagrant and repeated breaches will attract penalties commencing at the requirement to carry 100gm of ballast, progressing ultimately to disqualification.

If AIMSCB officials discover that an entrant or team has deliberately violated these regulations to gain unfair advantage over other entries, or has departed from the spirit of the event, that team will be excluded from the competition.

Where the AIMSCB officials find that the boats from a single organisation are insufficiently unique from each other, all of the infringing boats will be ineligible to win a prize and will not progress past the Quarter Finals in that division.

2.3 AIMSC Rulings

The AIMSCB officials are empowered to make a decision on any case not covered or clarified by these regulations. In the case of dissent from an AIMSCB official's ruling the issue may be referred to the Adjudication Sub-Committee. The ruling from the Adjudication Sub-Committee is final, if there is further dissent regarding this ruling then the dissenting team may be excluded from the competition.

3 ENTRIES

3.1 Number of Teams

No more than 4 teams from Australian regional level events will be invited to the this event. International competitors may also be restricted to a maximum of 4 teams from any region at the discretion of the Organising Committee. In extenuating circumstances additional invitations may be extended by the Organising Committee. The races will be organised so that no single region can have more than 2 teams progress past the semi finals.

Each team must contain at least 1 (one) member that is only involved with that single boat and no team will be permitted to enter more than 1 (one) boat. If circumstances prohibit all team members from attending the competition, the Organising Committee may, upon request, appoint another team to operate the boat at the event.

3.2 Statement of Work

All entrants will be required to sign a form indicating that the construction of their boat was done with minimal help from teachers, mentors or parents and is predominantly their own work. This work will be proven by the submission of a poster (**§3.3**)

All teams must be able to provide the scrutineers with evidence that the boat is the original work of the team members in both design and construction, performed in the current year (2016) and not simply a restyling of any boat from a previous year. However, you are permitted to reuse: solar arrays, motors, drive systems, guide systems and other similar components.

3.3 Posters

Students should document their work as in any quality design and build project. Prior to scrutineering, all teams are expected to present to the AIMSCB organisers a laminated or contact coated A2-sized Poster, documenting the design and development of their boat (this is standard: all engineering projects require documentation and research is often presented as a poster). This record should document experiments and/or calculations and the design decisions made. Some discussion of the benefits or use of solar power for minimizing greenhouse gas emissions is encouraged. Graphs, photos and design drawings will be marked favourably.

Note: Any team failing to submit a poster at the event will result in that team being ineligible to be awarded any of the prizes.

Every poster presented should clearly feature the organisation, the boat and all of the team member names. Teams may be interviewed to determine their technical understanding of and approach to the project.

Once you submit it, this poster becomes the property of the AIMSC organisation. The AIMSCB organisers may elect to keep the best posters for exhibition at the event and at other places where the event is publicized. All other posters should be collected by one of the associated team member at the end of the competition as any poster left behind and not required by the AIMSCB organisers will be discarded at the completion of the event.

All posters will be assessed using the following point score and topics:

Item	Points
Headings legible from 5 metres	1
Writing legible from 2 metres	1
Summary of test results	5
Construction details	5
Presentation – photos, diagrams, drawings, etc.	4
Greenhouse relevance	3
What you have learnt	5
References, acknowledgements	1
Total	25

The posters considered the best, those that achieve the highest total number of points, will be subsequently displayed and a prize awarded for the poster from both the junior and advanced divisions of the event.

4 Registration

Australian entrants must confirm their participation with their regional Event Coordinator within one week of receiving their invitation to participate in this event. Potential overseas entrants must notify the AIMSC Organisers of their interest in competing by June 1st 2016, so that assistance with visas can be arranged. Invitations for the AIMSCC event will be sent to the regional coordinators for their local entrants. International invitations will be sent to the parties that have contacted the AIMSC organisers.

5 PRIZES

The organisation of each team which win prizes in the following categories receive a plaque and each team member receive a congratulatory certificate.

- First place
- Second place
- Third place
- Fourth place
- Best first entry from a new school
- Best display of reused materials
- Most innovative design
- Best poster
- Best team uniform
- Best student made captain and crew (junior division only)

All team members of boats that run in the event receive a certificate of participation. However, teams which have inadequate posters (score of less than 13 out of a maximum of 25) or cannot demonstrate to the AIMSCB organisers that the boat was their own work may forfeit their place to another team.

6 THE POOL

A single pool will be used for all races.

6.1 Size and Shape

The pool is rectangular in shape, 1.6m wide and between six (6) and ten (10) metres long with a side wall of approximately 300mm. The height of the side walls permit for a minimum water depth of 70mm over the entire pool surface area.

6.2 Construction

Several layers of polyethylene plastic sheeting is wrapped around a metal support frame. The pool is divided into “lanes” over 350mm apart by using fine wires, strings or fishing lines fixed to supports at either end of the pool. These supports are stabilised so that the lines can be tensioned ensuring that they are 300mm ±25mm above the water surface level in the pool. There may be either 2 (two) or 3 (three) lines suspended above the pool, allowing 2 (two) or 3 (three) boats to participate in each race.

6.3 Starting Position

Boats will be assigned a lane on the day for each race in which they compete. Each boat will be placed in their assigned lane and placed on the starting line by a team member. Starting the race is either by the use of a starting gate or the manual release of the boat by the team member.




Figure 1: Layout of a pool configured for 3 (three) lanes with boats lined up at the start line

6.4 Finish Position

The winning boat will be the one which reaches the finish line first, as judged by the AIMSCB official at the finishing line. The order of finishing as judged by this AIMSCB official is final.

7 SCRUTINEERING

All boats will be scrutineered before racing to ensure that they meet the regulations of their chosen division. If the scrutineers require, boats which fail to meet the Junior Boat Regulations, will need to either be modified to conform to the regulations or race in the Advanced Division. Any boats which fail to meet key regulations such as cell type or area, will be required to carry a ballast penalty of up to 400gm, although flagrant and excessive breeches that are expected to result in an unfair advantage will result in disqualification.

7.1 Individual Design

Multiple boats entered by one organisation cannot be of an identical hull design – e.g. each entry from an organisation would not be allowed to use a hull vacuum formed using the same mould or made of fiberglass from 1 (one) mould. Teams fielding advanced boats using vacuum formed or other moulded hulls must have designed and substantially made the mould themselves.

Organisation may not enter multiple boats with hulls which are deemed by the scrutineers to be so similar that they can only be discriminated by name, number, colour or decorative effects. Multiple boats will not be accepted from a single organisation if they are made of the same or similar materials and have similar shaped hulls of similar dimensions which are less than 10% different as judged by the Organising Committee.

7.2 Commercial Components

No commercially available boat hulls or kits may be used. All entrants are to design and construct their boats in the year of the event, 2016.

It is expected that the only commercial component assemblies that would be used for the construction of a boat would be the Silicon solar array, an on/off switch, wiring/electronics (advanced division only), the motor(s) and the propulsion parts, i.e. shafts, bearing, propeller, impellor, paddle wheel, fan, etc...

The re-use of any of these allowed commercial components from a previous year's team entry for a new boat design is permitted.

8 SERVICING

8.1 Service Area

An official “service area”, shared with other divisions, is available for team members to conduct boat adjustment and maintenance. It is expected that only team members, independently of teacher, mentor or parent support, are performing repair or adjustments to their boat.

8.2 Hazardous Substances

Please Note. Due to mandatory health and safety requirements, the use of bulk solvents, (other than water) and liquefied gases of any sort, for any purpose whatsoever, is **STRICTLY PROHIBITED at all times and in all areas of the competition.** This means cooling solar panels with anything other than water ice will not be allowed at any time.

9 COMPETITION

9.1 Structure of the Races.

The races for each division will commence with a “round robin” competition. Each boat will have a number of races, the results will be used to seed the boats for the subsequent “knockout” competition. In the “knockout” competition boats will race with either 2 (two) or 3 (three) boats to a pool (depending on total numbers of entries) with only the winner continuing to the next round. Boats may be run in either a North – South or a South – North direction at the discretion of the race coordinator. All races in any round will be run in the same direction. In the finals where the winner is determined in a best of 3 (three) race format, the boats will race in alternating lanes. Racing in the opposite direction may be used if necessary to resolve a dead heat.

9.2 Starting Procedure

Starting will be carried out either by use of a starting gate or by a team member manually releasing their boat as instructed by the starter.

9.2.1 Starting Gate

A starting gate made of 10mm square steel mesh provides a simple means of ensuring all boats are aligned on the starting line. The gate pivots forward and down into the pool, allowing the boats to start to race with the minimum of interference. If boats have very pointed bows, they may need to release the boat manually from behind the gate to ensure that they are not disadvantaged by the gate operation. Boats are recommended to have bows with at least a 25mm radius to avoid any complications on the starting gate.

9.2.2 Manual Release

The start will occur when competitors release the rear guide of their boat upon issuance of the “Release” command. The AIMSCB official starter will voice the starting order, “Ready”, “Set” and “Release”, to start the race. This process will be slower than the use of a starting gate as the boats need to be aligned on the start line by the starter prior to giving the starting orders. Boats which are pushed or released early may be penalized if the AIMSCB officials so judges and requires the race to be repeated. If incorrect starting procedures are repeated, the offending boat may be disqualified.

9.3 Judging the Results

An AIMSCB finishing line judge will be appointed by the Organising Committee to sit level with the end of the pool to observe and record which boats win and come second and third in each race. The race will finish only when the boat strikes the end wall of the pool.

The order of finishing as recorded the AIMSCB finishing line judge is final and is not open dispute. This includes any third party contesting the result due to information from “Photo Finish” and/or “Effect of Parallax” claims.

If the AIMSCB finishing line judge decides that they are unable to select between boats to assign the order of finishing, the race will be rerun with all boats starting in different lanes to the original race.

9.4 Mishaps

Some boats fail to finish the race, either by submerging, having insufficient power or their guides coming off the guide lines. If a boat interferes with another boat in a 3 (three) boat race, the AIMSCB officials will confer to determine whether to rerun the race with all starters competing or only 2 (two) competitors, with the boat causing the interference being disqualified from that race. If there are multiple heats, the boat causing the interference will only lose that 1 (one) heat.

9.5 Practice and Testing

Practice in the pool will be allowed at any feasible time that at least one of the AIMSCB official is in attendance.

10 BOAT SPECIFICATIONS

To be eligible to compete boats must conform to all applicable specifications. The following details the specifications which are common to both the Junior and Advanced divisions. The additional specifications which apply to each division only are detailed separately in §10.1 and §10.2.

Please Note: Regardless of selected boat design it is strongly recommended that the boat should have a bow section with a minimum radius of 25mm. This is to ensure they do not become lodged in the 10mm square mesh of the starting gate. Hulls with a bow less than 25mm in radius shall use the manually release starting procedure regardless of start line configuration.

10.1 Common Specifications

10.1.1 Maximum Length

The maximum boat length including any front and rear projections, shall be 550mm to ensure that the boat fits behind the starting line (a previously show in Figure.1).

10.1.2 Maximum Width

The boat width (including the solar panel) must be no greater than 300mm at the widest point.

10.1.3 Maximum Guide Height

To enable boats to steer a straight line, they should be fitted with rods with open loops through which the above pool guide line will run. This line will be located as near as possible to 300mm \pm 25mm above the water. Other designs than the one shown below may be used.




Figure 2: guide wire height and guide rod position

10.1.4 Solar Panels

Boats may be powered only by solar panels with a maximum active area of 350 square cm (i.e. the area covered by the photovoltaic cells only, not including encapsulation around the edge or between cells). The panel cells must be of silicon origin and in general commercial supply. This means that specialized or recycled cells from research and / or space use must not be used. The solar panels must be securely attached to the boat, so that they cannot fall into the water.

10.1.5 Other Energy Sources

No batteries or energy storage devices are allowed. However capacitors are allowed as part of an electronics system in the advanced division.

10.1.6 On/Off Switch

A functioning on/off switch must be installed between the solar panel and the motor.

10.1.7 Propulsion

There is no restriction on the use of underwater propellers, air propellers, paddle wheels, oars etc. for the selection of the boats propulsion system.

10.1.8 Identification

Each boat must have the school and boat name clearly visible to the starter and judges. Teams will be provided with a "flag" with the boat's number and name this flag is to be affixed to the rear guide wire

10.2 Junior Division

10.2.1 Motor

Only one hobby type motor commercially available within Australia with a maximum recommended retail price of AUD \$ 8.00 is permitted. Motors from scrapped equipment such as VCR's etc. are not permitted as we cannot verify their performance. Boats using such motors will be required to compete in the advanced division.

10.2.2 Hulls

Only hulls made from either recycled packaging (such as plastic drink bottles or cans etc.), polystyrene foam, cardboard or balsa wood (appropriately waterproofed) may be used. Moulded hulls, e.g. vacuum formed plastic and fiberglass hulls are not allowed in this division. Boats from the same organisation must have hulls that are deemed non-identical by the AIMSCB Committee (see **§2.2**).

10.2.3 Propulsion

Boats using in water propellers must use direct drive between motor and propeller. Gearboxes or other methods of changing the propeller speed relative to the motors rotor speed are not permitted in this division

10.2.4 Captain and Crew

A "captain" and 1 (one) "crew member" must be carried on the boat during racing and must be in position when the boat reaches the end of the pool. The figures must be at least 35mm high and 10mm wide and can be made of Lego™, other plastics, waterproofed cardboard, timber, pipe cleaners etc.

The captain and crew must be vertical and be protected from the sun by the solar panel or some other shielding above their heads. They must be able to "see" where the boat is going and at least 20mm of their height must be above the deck, i.e. visible from the side.

10.2.5 Non Conformance

Boats built by primary students which do not meet these restrictions will be permitted to compete by either carrying an additional 200gm weight penalty or by electing to compete in the advanced division. The boat must also meet the regulations of the advanced division if that option is chosen.

If the team choose to carry the additional weight but the scrutineers that the infraction gives the boat a significant advantage and that carrying extra weight isn't enough to "level the playing field", the boat will be excluded from the AIMSCB event.

10.3 Advanced Division

10.3.1 Motor

Any type or number of motors may be used.

10.3.2 Hulls

Any materials including vacuum formed plastic, fiberglass or carbon fibre hulls can be used. Boats from the same organisation must have hulls that are deemed non-identical by the AIMSCB Committee (see **§2.2**).

10.3.3 Propulsion

Any type or any number of propellers, impellers or other propulsion units may be used. Gearboxes or any type of speed varying system may be used between motor and the chosen propulsion component(s).

10.3.4 Electronics

Electronics and capacitors may be used, but the total capacitance on board the boat must not exceed 15,000 μF .

10.3.5 Cargo

All boats must carry a cargo of one empty, undistorted 375ml drink can (66mm diameter and 130mm long), which must be in place when the boat reaches the end of the pool.

10.3.6 Non Conformance

Boats which do not meet these restrictions will be permitted to compete by either carrying an additional weight penalty or if it is decided by the scrutineers that the infraction gives the boat a significant advantage and that carrying extra weight isn't enough to "level the playing field", the boat will be excluded from the AIMSCB event.